

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier			
Trade name or designation of the mixture	Longwrap Hotcote Petrolatum Tape		
Registration number	-		
Synonyms	None.		
Issue date	04-17-2015		
Version number	01		
1.2. Relevant identified uses of t	he substance or mixture and us	ses advised against	
Identified uses	Not available.		
Uses advised against	None known.		
1.3. Details of the supplier of the	safety data sheet		
Supplier			
Company name	Chase Protective Coatings Ltd		
Address	A CHASE CORPORATION COMPANY		
	Harbour Road		
	Rye, East Sussex, TN31 7TE UK		
Division			
Telephone	General Assistance	+44 (0)1797 223561	
e-mail	info@chaseprotectivecoatings.com		
Contact person	Not available.		
1.4. Emergency telephone	Emergency Phone	44 (0)1797 223561	
number			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

None.

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Physical hazards	Not classified for physical hazards.
Health hazards	Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.
Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Prolonged exposure may cause chronic effects.
Main symptoms	Irritation of eyes and mucous membranes. Skin irritation.
2.2. Label elements	
Label according to Regulation	(EC) No. 1272/2008 as amended
Hazard pictograms	None.

Signal word

Material name: Longwrap Hotcote Petrolatum Tape

914 Version #: 01 Issue date: 04-17-2015

Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Supplemental label information	None.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC. M: M-factor vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance. #: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
4.1. Description of first aid meas	ures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
4.2. Most important symptoms and effects, both acute and delayed	Irritation of eyes and mucous membranes. Skin irritation.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting m	easures
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.		
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.		
6.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.		

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
7.2. Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

6.4. Reference to other

sections

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	МАК	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fraction.
Talc (powder) (CAS 14807-96-6)	MAK	2 mg/m3	Respirable fraction.
Belgium. Exposure Limit Values.			
Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	TWA	5 mg/m3	Fume.
		2 ppm	Fume.
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	10 mg/m3	Mist.
·	TWA	5 mg/m3	Mist.
Talc (powder) (CAS 14807-96-6)	TWA	2 mg/m3	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	TWA	6 mg/m3	Inhalable fraction.
		5 mg/m3	
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	
Talc (powder) (CAS 14807-96-6)	TWA	1 fibers/cm3	Respirable fraction.
,		6 mg/m3	Inhalable fraction.
		3 mg/m3	Respirable fraction.
Croatia. Dangerous Substance Ex	posure Limit Values in the W	orkplace (ELVs), Annexes 1 ar	nd 2, Narodne Novine, 13/09
Components	Туре	Value	Form

	- 71		
Diiron trioxide (CAS 1309-37-1)	MAC	5 mg/m3	Fume.
	STEL	4 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
		10 mg/m3	Fume.

Croatia. Dangerous Substance Expos Components	ure Limit Values in the Workplace (E Type	ELVs), Annexes 1 a Value	nd 2, Narodne Novine, 13/09 Form
Talc (powder) (CAS 14807-96-6)	MAC	1 mg/m3	Respirable dust.
Cyprus. OELs. Control of factory atmo Components	osphere and dangerous substances Type	in factories regula Value	tion, PI 311/73, as amended.
Talc (powder) (CAS 14807-96-6)	TWA	706 part/cm3	
Czech Republic. OELs. Government D Components	Decree 361 Type	Value	Form
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	Ceiling	10 mg/m3	Aerosol.
Falc (powder) (CAS 4807-96-6)	TWA TWA	5 mg/m3 10 mg/m3	Aerosol. Total dust.
Denmark. Exposure Limit Values		10 mg/m3	Respirable dust.
Components	Туре	Value	Form
Diiron trioxide (CAS I309-37-1)	TLV	3,5 mg/m3	
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 54742-65-0)	TLV	1 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TLV	1 mg/m3	Mist.
Estonia. OELs. Occupational Exposur 2001)	e Limits of Hazardous Substances. (Annex of Regulati	on No. 293 of 18 September
Components	Туре	Value	Form
Diiron trioxide (CAS I309-37-1)	TWA	3,5 mg/m3	Respirable dust.
Finland. Workplace Exposure Limits Components	Туре	Value	Form
Diiron trioxide (CAS 309-37-1)	TWA	5 mg/m3	Fume.
Falc (powder) (CAS 4807-96-6)	STEL	2 ppm	Total dust.
		1 ppm	Respirable.
France. Threshold Limit Values (VLEP Components	P) for Occupational Exposure to Cher Type	micals in France, ll Value	NRS ED 984 Form
Diiron trioxide (CAS 1309-37-1)	VME	5 mg/m3	Fume.
Germany. TRGS 900, Limit Values in t Components	he Ambient Air at the Workplace Type	Value	Form
Diiron trioxide (CAS 309-37-1)	AGW	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Greece. OELs (Decree No. 90/1999, as Components	amended) Type	Value	Form
Diiron trioxide (CAS 309-37-1)	STEL	10 mg/m3	
DISTILLATES PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS	TWA TWA	10 mg/m3 5 mg/m3	Mist.
64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	Mist.

Greece. OELs (Decree No. 90/1999, as Components	amended) Type	Value	Form
Talc (powder) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
		10 mg/m3	Inhalable
Hungary. OELs. Joint Decree on Chem Components	ical Safety of Workplaces Type	s Value	Form
Diiron trioxide (CAS	TWA	6 mg/m3	Respirable.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	Ceiling	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	Ceiling	5 mg/m3	Mist.
Talc (powder) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
Iceland. OELs. Regulation 154/1999 on Components	occupational exposure li Type	imits Value	Form
Diiron trioxide (CAS	TWA	3,5 mg/m3	Respirable dust.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS	TWA	1 mg/m3	Mist.
64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3 4 mg/m3	Fume. Respirable dust.
Talc (powder) (CAS 14807-96-6)	TWA	10 mg/m3 10 mg/m3	Total inhalable dust. Total inhalable dust.
		0,8 mg/m3	Respirable dust.
Italy. Occupational Exposure Limits Components	Туре	Value	Form
Diiron trioxide (CAS	TWA	5 mg/m3	Respirable fraction.
1309-37-1) Talc (powder) (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
Lithuania. OELs. Limit Values for Cher Components	mical Substances, Genera Type	al Requirements Value	Form
Diiron trioxide (CAS	TWA	3,5 mg/m3	Respirable fraction.
1309-37-1) DISTILLATES (PETROLEUM)	STEL	3 mg/m3	Fume and mist.
SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)			
	TWA	1 mg/m3	Fume and mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
Talc (powder) (CAS 14807-96-6)	TWA	2 mg/m3	Inhalable fraction.
		1 mg/m3	Respirable fraction.

Netherlands. OELs (binding) Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	Mist.
Talc (powder) (CAS 14807-96-6)	TWA	0,25 mg/m3	Respirable dust.
Norway. Administrative Norms for Components	Contaminants in the Workpla Type	ace Value	Form
Diiron trioxide (CAS 1309-37-1)	TLV	3 mg/m3	
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TLV	1 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TLV	1 mg/m3	Mist.
Talc (powder) (CAS 14807-96-6)	TLV	6 mg/m3	Total dust.
14007-30-0)		2 mg/m3	Respirable dust.
Poland. MACs. Minister of Labour Working Environment	and Social Policy Regarding	Maximum Allowable Concentr	ations and Intensities in
Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA STEL	5 mg/m3 10 mg/m3	Fume. Aerosol.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA STEL	5 mg/m3 10 mg/m3	Aerosol. Aerosol.
Tala (nourder) (CAC	TWA	5 mg/m3	Aerosol.
Talc (powder) (CAS 14807-96-6)	TWA	4 mg/m3 1 mg/m3	Total dust. Respirable dust.
Portugal. VLEs. Norm on occupatio			Farma
Components	Туре	Value	Form
Diiron triovide (CAS	T\A/A	E ma/m2	Despirable fraction
Diiron trioxide (CAS 1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA STEL	5 mg/m3 10 mg/m3	Respirable fraction. Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED	STEL	10 mg/m3 5 mg/m3	Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS	STEL	10 mg/m3 5 mg/m3 10 mg/m3	Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL TWA STEL TWA	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3	Aerosol. Aerosol. Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5) Talc (powder) (CAS 14807-96-6)	STEL TWA STEL TWA TWA	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2 mg/m3	Aerosol. Aerosol. Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5) Talc (powder) (CAS	STEL TWA STEL TWA TWA	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2 mg/m3	Aerosol. Aerosol. Aerosol.
1309-37-1) DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5) Talc (powder) (CAS 14807-96-6) Romania. OELs. Protection of worl	STEL TWA STEL TWA TWA kers from exposure to chemic	10 mg/m3 5 mg/m3 10 mg/m3 5 mg/m3 2 mg/m3 cal agents at the workplace	Aerosol. Aerosol. Aerosol. Aerosol. Respirable fraction.

Romania. OELs. Protection of worke Components	Type	Value	Form
DISTILLATES PETROLEUM) SOLVENT-DEWAXED IEAVY PARAFFINIC (CAS 14742-65-0)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	10 mg/m3	
10 0	TWA	5 mg/m3	
Slovakia. OELs. Regulation No. 300/ Components	2007 concerning protection Type	of health in work with chemi Value	cal agents Form
Diiron trioxide (CAS	TWA	4 mg/m3	Inhalable fume.
309-37-1)			
		1,5 mg/m3	Respirable fume.
alc (powder) (CAS	TWA	2 mg/m3	Respirable fraction.
4807-96-6)		2 mg/m3	Respirable fraction.
		2 mg/m3 10 mg/m3	Total
		C C	
Novenia. OELs. Regulations concer		against risks due to exposure	e to chemicals while work
Official Gazette of the Republic of S Components	-	Value	Form
-	Туре		-
alc (powder) (CAS 4807-96-6)	TWA	2 mg/m3	Respirable fraction.
pain. Occupational Exposure Limit	s Type	Value	Form
•	-		-
iiron trioxide (CAS 309-37-1)	TWA	5 mg/m3	Dust and fume.
DISTILLATES PETROLEUM) SOLVENT-DEWAXED IEAVY PARAFFINIC (CAS	STEL	10 mg/m3	Mist.
64742-65-0)		- / 0	
inter etc. Detrolours	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 14742-10-5)	STEL	10 mg/m3	Mist.
/	TWA	5 mg/m3	Mist.
alc (powder) (CAS	TWA	2 mg/m3	Respirable fraction.
4807-96-6)		-	
weden. Occupational Exposure Lin	nit Values		
Components	Туре	Value	Form
Diiron trioxide (CAS	TWA	3,5 mg/m3	Respirable dust.
309-37-1)			
DISTILLATES	STEL	3 mg/m3	Mist.
PETROLEUM) SOLVENT-DEWAXED			
EAVY PARAFFINIC (CAS			
4742-65-0)			
	TWA	1 mg/m3	Mist.
xtracts, Petroleum,	STEL	3 mg/m3	Mist.
Residual Oil Solvent (CAS 4742-10-5)			
	TWA	1 mg/m3	Mist.
alc (powder) (CAS	TWA	2 mg/m3	Total dust.
4807-96-6)		1 mg/m3	Respirable dust.
Switzerland. SUVA Grenzwerte am A	-	-	_
	Туре	Value	Form
Components			
Diiron trioxide (CAS	TWA	3 mg/m3	Respirable dust.
-	TWA TWA	3 mg/m3 2 mg/m3	Respirable dust. Respirable dust.

Components	Туре	Value	Form
Diiron trioxide (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable.
		10 mg/m3	Inhalable
Talc (powder) (CAS 14807-96-6)	TWA	1 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Recommended monitoring procedures	Follow standard monitoring procedure	es.	
Derived no-effect level (DNEL)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
3.2. Exposure controls			
Appropriate engineering controls	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establi	pplicable, use process enclosu tain airborne levels below reco	rres, local exhaust ventilation, mmended exposure limits. If
ndividual protection measures,	such as personal protective equipm	ent	
General information	Personal protection equipment should discussion with the supplier of the pe		CEN standards and in
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection			
- Hand protection	Wear appropriate chemical resistant	gloves.	
- Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wea	ar suitable respiratory equipme	nt.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
lygiene measures	Always observe good personal hygie and before eating, drinking, and/or sr equipment to remove contaminants.		
Environmental exposure controls	Environmental manager must be info	rmed of all major releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid. Roll.
Color	Red
Odor	Mild. Aromatic
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
	1 1

Material name: Longwrap Hotcote Petrolatum Tape

914 Version #: 01 Issue date: 04-17-2015

Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Density	1,58 g/cm3 estimated
Specific gravity	1,58 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

General information

Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms	Irritation of eyes and mucous membranes. Skin irritation.
11.1. Information on toxicologica	Il effects
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye	Due to partial or complete lack of data the classification is not possible.

irritation	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.
Skin sensitization	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Risk of cancer cannot be excluded with prolonged exposure.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	This product has no known adverse effect on human health.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	Not available.

Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

 Not regulated as dangerous goods.

 14.7. Transport in bulk
 Not applicable.

according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

	1005/2009 on substances that deplete the ozone layer, Annex I
Not listed. Regulation (EC) No.	1005/2009 on substances that deplete the ozone layer, Annex II
Not listed.	
Regulation (EC) No. Not listed.	850/2004 On persistent organic pollutants, Annex I as amended
Regulation (EC) No. Not listed.	689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Regulation (EC) No. Not listed.	689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
	689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
	689/2008 concerning the export and import of dangerous chemicals, Annex V as amended
Regulation (EC) No. Not listed.	166/2006 Annex II Pollutant Release and Transfer Registry
Regulation (EC) No. Not listed.	1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA
uthorizations	
Regulation (EC) No. Not listed.	1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Not listed.

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations	The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
National regulations	Follow national regulation for work with chemical agents.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations	Not available.
References	Not available.
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any statements or R-phrases and H-statements under Sections 2 to 15	None.
Revision information	None.
Training information	Follow training instructions when handling this material.
Issued by	Dan Libby
Disclaimer	The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only. No warranty, expressed or implied is made.