

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Plasgard 410 Part B

of the mixture

Registration number

Synonyms None. 04-22-2015 Issue date

03 Version number

Revision date 08-02-2018 04-23-2018 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Pipeline Anticorrosion Coating

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Chase Protective Coatings Ltd

A CHASE CORPORATION COMPANY **Address**

Harbour Road

Rye, East Sussex, TN31 7TE

UK

Division

General Assistance +44 (0)1797 223561 Telephone

info@chaseprotectivecoatings.com e-mail

Contact person Not available.

1.4. Emergency telephone **Emergency Phone** 44 (0)1797 223561

number

(M-Th 9:00-5:30; F 9:00-3:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification C;R35, Xn;R22-48/22, R43, N;R50/53

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

H314 - Causes severe skin burns Skin corrosion/irritation Category 1C

and eye damage.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye

damage.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Harmful if swallowed. Causes severe burns. May cause sensitization by skin contact. Harmful:

danger of serious damage to health by prolonged exposure if swallowed.

Material name: Plasgard 410 Part B

774 Version #: 03 Revision date: 08-02-2018 Issue date: 04-22-2015

Environmental hazards Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Specific hazards None known.

Main symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: 1,3,5-triazine-1,3,5(2h,4h,6h)-tripropanamine, N,n, 1,3-benzenedimethanamine, N-(2-phenylethyl)

Derivs

Hazard pictograms



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318

Precautionary statements

Prevention

Do not breathe vapor. P260

Wash thoroughly after handling. P264

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P303 + P361 + P353

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304 + P340

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present P305 + P351 + P338

and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor. P310 Wash contaminated clothing before reuse. P363

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

55% of the mixture consists of component(s) of unknown acute oral toxicity. 55% of the mixture Supplemental label information

> consists of component(s) of unknown acute dermal toxicity. 55% of the mixture consists of component(s) of unknown acute inhalation toxicity. 55% of the mixture consists of component(s)

of unknown acute hazards to the aquatic environment. 55% of the mixture consists of

component(s) of unknown long-term hazards to the aquatic environment.

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

levels

General information

%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
50 - < 60	404362-22-7 -	-	-	
-				
-				
oropa 5 - < 10	15875-13-5 240-004-1	-	-	
-				
-				
	50 - < 60 - - propa 5 - < 10	50 - < 60 404362-22-7 - - - - - - - - - - - - -	50 - < 60	50 - < 60

Material name: Plasgard 410 Part B

List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contactTake off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Move containers from fire area if you can do so without risk.

Special fire fighting

procedures

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Material name: Plasgard 410 Part B

SDS EU

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see

Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Respiratory protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

In case of insufficient ventilation, wear suitable respiratory equipment.

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.

Color Clear to. Amber
Odor Amine-like.
Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Material name: Plasgard 410 Part B

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%

Not available.

Vapor pressure 0,000001 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Strong oxidizing agents.

10.5. Incompatible materials

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contactCauses severe skin burns.Eye contactCauses serious eye damage.IngestionCauses digestive tract burns.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - Due to partial or complete lack of data the classification is not possible.

repeated exposure

Material name: Plasgard 410 Part B

Due to partial of complete lack of data the classification is not possible.

SDS EU

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. Not available. **Partition coefficient**

n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture. Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.6. Other adverse effects potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3267

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S, HETEROCYCLYIC POLYAMINE 14.2. UN proper shipping

1,3-BENZENEDIMETHANAMINE REACTION PRODUCT WITH STYRENE name

14.3. Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8 Hazard No. (ADR) 80 **Tunnel restriction code** Ε Ш 14.4. Packing group 14.5. Environmental hazards No.

14.6. Special precautions

Read safety instructions, SDS and emergency procedures before handling.

for user RID

> 14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. HETEROCYCLYIC POLYAMINE

1,3-BENZENEDIMETHANAMINE REACTION PRODUCT WITH STYRENE name

14.3. Transport hazard class(es)

8 Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN3267 14.2. UN proper shipping Corrosive Liquid, Organic, N.o.s. HETEROCYCLYIC POLYAMINE

1,3-BENZENEDIMETHANAMINE REACTION PRODUCT WITH STYRENE name

14.3. Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) 14.4. Packing group Ш 14.5. Environmental hazards No.

Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions

for user

IATA

14.1. UN number UN3267

Corrosive liquid, basic, organic, n.o.s. (1,3-BENZENEDIMETHANAMINE REACTION PRODUCT 14.2. UN proper shipping

WITH STYRENE) (HETEROCYCLIC POLYAMINE)

14.3. Transport hazard class(es)

8 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards No. **ERG Code**

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Other information

Allowed with restrictions.

Not established.

aircraft

Allowed with restrictions. Cargo aircraft only

IMDG

14.1. UN number UN3267

14.2. UN proper shipping CORROSIVE LIQUID, N.O.S. (1,3-BENZENEDIMETHANAMINE REACTION PRODUCT WITH

STYRENE) (HETEROCYCLIC POLYAMINE) Marine Pollutant, MARINE POLLUTANT name

14.3. Transport hazard class(es)

8 Class Subsidiary risk Ш 14.4. Packing group 14.5. Environmental hazards Marine pollutant Yes

EmS F-A. S-B

14.6. Special precautions

for user

Read safety instructions, SDS and emergency procedures before handling.

14.7. Transport in bulk

according to Annex II of Marpol

73/78 and the IBC Code

ADN; ADR; IATA; IMDG; RID



Marine pollutant



Material name: Plasgard 410 Part B

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

Young people under 18 years old are not allowed to work with this product according to EU **National regulations**

Directive 94/33/EC on the protection of young people at work, as amended.

Follow national regulation on the protection of workers from the risks of exposure to carcinogens

and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available. Not available. References

Information on evaluation method leading to the

under Sections 2 to 15

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

classification of mixture Full text of any statements or R-phrases and H-statements

R22 Harmful if swallowed.

R35 Causes severe burns. R43 May cause sensitization by skin contact.

R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Material name: Plasgard 410 Part B

SDS FU

Revision information SECTION 2: Hazards identification: Response

SECTION 6: Accidental release measures: For non-emergency personnel

SECTION 6: Accidental release measures: 6,3. Methods and material for containment and

cleaning up

SECTION 6: Accidental release measures: For emergency responders SECTION 6: Accidental release measures: 6,4. Reference to other sections SECTION 7: Handling and storage: 7,1. Precautions for safe handling

SECTION 7: Handling and storage: 7,2. Conditions for safe storage, including any incompatibilities

SECTION 8: Exposure controls/personal protection: Eye/face protection SECTION 8: Exposure controls/personal protection: Respiratory protection

SECTION 10: Stability and reactivity: 10,4. Conditions to avoid

SECTION 11: Toxicological information: Inhalation

SECTION 12: Ecological information: Persistence / degradability

SECTION 12: Ecological information: 12,5. Results of PBT and vPvB assessment

SECTION 16: Other information: References

Follow training instructions when handling this material.

Issued by Disclaimer

Training information

sued by Dan Lib

The information offered in this data sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only.

No warranty, expressed or implied is made.

Material name: Plasgard 410 Part B

774 Version #: 03 Revision date: 08-02-2018 Issue date: 04-22-2015 9 / 9

SDS EU